

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	48	US-4351160-\$.DID. OR US-4457681-\$.DID. OR US-4553911-\$.DID. OR US-5411387-\$.DID. OR US-6139280-\$.DID. OR US-2004023-\$.DID. OR US-4570451-\$.DID. OR US-4516914-\$.DID. OR US-5375411-\$.DID. or US-4597726-\$.DID. OR US-5435704-\$.DID. OR US-4455131-\$.DID. OR US-4515540-\$.DID. OR US-4519748-\$.DID. OR US-4548549-\$.DID. OR US-4609329-\$.DID. OR US-4610613-\$.DID. OR US-4610612-\$.DID. OR US-4877380-\$.DID. OR US-4878818-\$.DID. OR US-4909716-\$.DID. OR US-4932844-\$.DID. OR US-5018948-\$.DID. OR US-5044894-\$.DID. OR US-5183395-\$.DID. OR US-5207568-\$.DID. OR US-5258046-\$.DID. OR US-5405253-\$.DID. OR US-5738305-\$.DID. OR US-5775893-\$.DID. OR US-6226977-\$.DID. OR US-6659729-\$.DID. OR US-6881040-\$.DID. OR US-2003000-\$.DID. OR US-2003021T-\$.DID. OR US-4493296-\$.DID. OR US-4362472-\$.DID. OR US-4372115-\$.DID. OR US-4380902-\$.DID. OR US-4382363-\$.DID. OR US-4461151-\$.DID. OR US-4505651-\$.DID. OR US-4514150-\$.DID. OR US-4557670-\$.DID. OR US-5318424-\$.DID. OR US-5342168-\$.DID. OR US-5657640-\$.DID. OR US-5807071-\$.DID. OR US-6168385-\$.DID.	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:07
L3	52	"1" and internal adj volume adj ratio	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:22
L4	14	3 and slide adj valve	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:09
L5	12	4 and shaft	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:09
L6	18	3 and shaft	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:09
L7	18	5 6	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:20
L8	2245	(417/12,53,282,299).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:20
L9	7	8 and internal adj volume adj ratio	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:20

## EAST Search History

L10	0	("2004/0234381").URPN.	USPAT	OR	OFF	2006/09/05 09:20
L11	0	("2004/0234381").URPN.	USPAT	OR	OFF	2006/09/05 09:21
L12	3429	hattori.in.	USPAT	OR	OFF	2006/09/05 09:22
L13	2	12 and internal adj volume adj ratio	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:22
L14	619504	12 and slide valve	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:23
L15	9	12 and slide adj valve	US-PGPUB; USPAT	OR	OFF	2006/09/05 09:23
S1	48	US-4351160-\$.DID. OR US-4457681-\$. DID. OR US-4553911-\$.DID. OR US-5411387-\$.DID. OR US-6139280-\$. DID. OR US-2004023-\$.DID. OR US-4570451-\$.DID. OR US-4516914-\$. DID. OR US-5375411-\$.DID. or US-4597726-\$.DID. OR US-5435704-\$. DID. OR US-4455131-\$.DID. OR US-4515540-\$.DID. OR US-4519748-\$. DID. OR US-4548549-\$.DID. OR US-4609329-\$.DID. OR US-4610613-\$. DID. OR US-4610612-\$.DID. OR US-4877380-\$.DID. OR US-4878818-\$. DID. OR US-4909716-\$.DID. OR US-4932844-\$.DID. OR US-5018948-\$. DID. OR US-5044894-\$.DID. OR US-5183395-\$.DID. OR US-5207568-\$. DID. OR US-5258046-\$.DID. OR US-5405253-\$.DID. OR US-5738305-\$. DID. OR US-5775893-\$.DID. OR US-6226977-\$.DID. OR US-6659729-\$. DID. OR US-6881040-\$.DID. OR US-2003000-\$.DID. OR US-2003021T-\$.DID. OR US-4493296-\$.DID. OR US-4362472-\$. DID. OR US-4372115-\$.DID. OR US-4380902-\$.DID. OR US-4382363-\$. DID. OR US-4461151-\$.DID. OR US-4505651-\$.DID. OR US-4514150-\$. DID. OR US-4557670-\$.DID. OR US-5318424-\$.DID. OR US-5342168-\$. DID. OR US-5657640-\$.DID. OR US-5807071-\$.DID. OR US-6168385-\$. DID.	US-PGPUB; USPAT	OR	OFF	2006/08/30 14:56

*Interference*  
**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(screw compressor equipped internal volume ratio adjusting slide valve capacity adjusting slide valve radial port center female screw hole male screw thread part driving shaft supported sliding suction elastic member bearing housing fixing means).clm.	US-PGPUB; USPAT	AND	OFF	2006/09/05 09:06